



Province of the  
**EASTERN CAPE**  
EDUCATION

**SENIOR PHASE**

**GRADE 9**

**NOVEMBER 2018**

**MATHEMATICS  
MARKING GUIDELINE**

**MARKS: 140**

---

This marking guideline consists of 13 pages.

---

**INSTRUCTIONS AND INFORMATION**

1. Give full marks for answers only, unless stated otherwise.
2. Accept any alternate correct solutions that are not included in the marking guideline.
3. Underline errors committed by learners and apply Consistent Accuracy (CA).
4. **THE FINAL MARK MUST BE CONVERTED TO 100.**

<b>KEYS</b>	
M	Method
CA	Consistent Accuracy
A	Accuracy
S	Statement
SF	Substitution in Formula
R	Reason
S/R	Statement and Reason


<b>QUESTION 1 [10 marks]</b>				
<b>Ques.</b>	<b>Mark allocation</b>			<b>Total</b>
1.1	C	✓		(1)
1.2	A	✓		(1)
1.3	B	✓		(1)
1.4	A	✓		(1)
1.5	D	✓		(1)
1.6	B	✓		(1)
1.7	C	✓		(1)
1.8	A	✓		(1)
1.9	C	✓		(1)
1.10	D	✓		(1)
				<b>[10]</b>

QUESTION 2 [25]			
Ques.	Solution	Mark allocation	Total
2.1	$1\ 042\ 000\ 000 = 1,042 \times 10^9$ ✓ <b>A</b>	Answer: 1 Mark	(1)
2.2.1	$3z^2 - \left(4\frac{2}{3}z^3 \div \frac{7z}{2}\right)$ $= 3z^2 - \left(4\frac{2}{3}z^3 \div \frac{7z}{2}\right)$ ✓ <b>M</b> $= 3z^2 - \frac{4z^2}{3}$ ✓ <b>M</b> $= \frac{5z^2}{3} / \frac{5}{3}z^2$ ✓ <b>CA</b>	$\left(\frac{14z^3}{3} \times \frac{2}{7z}\right): 1 \text{ Mark}$ $\frac{4z^2}{3}: 1 \text{ Mark}$ Answer: 1 Mark	(3)
2.2.2	$2(x-3)^2 - 3(x+1)(2x-5)$ $= 2(x^2 - 6x + 9) - 3(2x^2 - 3x - 5)$ ✓ <b>M</b> ✓ <b>M</b> $= 2x^2 - 12x + 18 - 6x^2 + 9x + 15$ $= -4x^2 - 3x + 33$ ✓ <b>CA</b>	$(x^2 - 6x + 9): 1 \text{ Mark}$ $(2x^2 - 3x - 5): 1 \text{ Mark}$ Answer: 1 Mark	(3)
2.2.3	$\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \left(\frac{2y}{3xy^2}\right)^{-2}$ ✓ <b>M</b> $= \left(\frac{3xy^2}{2y}\right)^2$ ✓ <b>M</b> $= \frac{9x^2y^2}{4}$ ✓ <b>CA</b> <p style="text-align: center;"><b>OR</b></p> $\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \frac{2^{-2}x^2y^{-2}}{3^{-2}y^{-4}}$ ✓ <b>M</b> $= \frac{1}{4}x^2y^2$ ✓ <b>M</b> $= \frac{1}{9}$ $= \frac{9}{4}x^2y^2$ ✓ <b>CA</b> <p style="text-align: center;"><b>OR</b></p>	$\left(\frac{2y}{3xy^2}\right)^{-2}: 1 \text{ Mark}$ $\left(\frac{3xy^2}{2y}\right)^2: 1 \text{ Mark}$ Answer: 1 Mark <p style="text-align: center;"><b>OR</b></p> $\frac{2^{-2}x^2y^{-2}}{3^{-2}y^{-4}}: 1 \text{ Mark}$ $\frac{1}{4}x^2y^2: 1 \text{ Mark}$ $\frac{1}{9}$ Answer: 1 Mark <p style="text-align: center;"><b>OR</b></p>	

Ques.	Solution	Mark allocation	Total
	$\left(\frac{2x^{-1}y}{3y^2}\right)^{-2}$ $= \frac{1}{\left(\frac{2x^{-1}y}{3y^2}\right)^2} \checkmark \mathbf{M}$ $= \frac{1}{\frac{2^2 x^{-2} y^2}{3^2 y^4}} \checkmark \mathbf{M}$ $= \frac{9x^2 y^2}{4} \checkmark \mathbf{CA}$	$\frac{1}{\left(\frac{2x^{-1}y}{3y^2}\right)^2} : 1 \text{ Mark}$ $\frac{1}{\frac{2^2 x^{-2} y^2}{3^2 y^4}} : 1 \text{ Mark}$ <p>Answer: 1 Mark</p>	(3)
2.2.4	$\frac{\sqrt{169x^6} \times \left(\frac{y}{p^{99}q}\right)^0}{\sqrt[3]{x^{12}}}$ $\checkmark \mathbf{M}$ $= \frac{13x^3 \times 1}{x^4} \checkmark \mathbf{M}$ $= \frac{13}{x} \checkmark \mathbf{A}$	$13x^3 : 1 \text{ Mark}$ $x^4 : 1 \text{ Mark}$ <p>Answer: 1 Mark</p>	(3)
2.3.1	$ax^2 - 5ax + 6a$ $\checkmark \mathbf{M}$ $= a(x^2 - 5x + 6)$ $\checkmark \mathbf{CA}$ $= a(x-3)(x-2)$	$a(x^2 - 5x + 6) : 1 \text{ Mark}$ $(x-3) : 1 \text{ Mark}$ $(x-2) : 1 \text{ Mark}$	(3)
2.3.2	$(2x-3y) + (3y-2x)x^2$ $= (2x-3y) - (2x-3y)x^2 \checkmark \mathbf{M}$ $= (2x-3y)(1-x^2) \checkmark \mathbf{CA}$ $= (2x-3y)(1+x)(1-x) \checkmark \mathbf{CA}$	$(2x-3y) - (2x-3y)x^2 : 1 \text{ Mark}$ $(2x-3y)(1-x^2) : 1 \text{ Mark}$ $(2x-3y)(1+x)(1-x) : 1 \text{ Mark}$	(3)
2.4.1	$\frac{x}{2} + \frac{2x+3}{3} = 1$ $\therefore 6\left(\frac{x}{2}\right) + 6\left(\frac{2x+3}{3}\right) = 6(1) \checkmark \mathbf{M}$ $\therefore 3x + 4x + 6 = 6$ $\therefore 7x = 0$ $\therefore x = 0 \checkmark \mathbf{CA}$	$\times \text{ by LCM: 1 Mark}$ <p>Answer: 1 Mark</p>	(2)

Ques.	Solution	Mark allocation	Total
2.4.2	$x^2 + x = 12$ $\therefore x^2 + x - 12 = 0$ $\therefore (x+4)(x-3) = 0 \checkmark \mathbf{M}$ $\therefore x = -4 \text{ or } x = 3 \checkmark \mathbf{CA}$	$(x+4)(x-3)$ : 1 Mark Both solutions: 1 Mark	(2)
2.4.3	$5^{x+2} = \frac{1}{25}$ $\therefore 5^{x+2} = 5^{-2} \checkmark \mathbf{M}$ $\therefore x+2 = -2$ $\therefore x = -4 \checkmark \mathbf{CA}$	$5^{-2}$ : 1 Mark Answer: 1 Mark	(2)
			<b>[25]</b>

QUESTION 3 [26]																						
Ques.	Solution	Mark allocation						Total														
3.1																						
3.1.1	<table border="1" style="margin-left: 20px;"> <tr> <td>Shape</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>...</td> <td>25</td> </tr> <tr> <td>Number of rectangles</td> <td>5</td> <td>9</td> <td>13</td> <td>17</td> <td>...</td> <td>101</td> </tr> </table> <p><math>q = 17</math> and <math>r = 25</math> ✓A</p>	Shape	1	2	3	4	...	25	Number of rectangles	5	9	13	17	...	101	$q = 17$ and $r = 25$ : 1 Mark						(1)
Shape	1	2	3	4	...	25																
Number of rectangles	5	9	13	17	...	101																
3.1.2	<p>✓A ✓A</p> $T_n = 4n + 1$	$4n$ : 1 Mark $+1$ : 1 Mark						(2)														
3.1.3	$T_n = 4n + 1$ $205 = 4n + 1$ ✓SF $n = 51$ $\therefore$ Shape number 51 has 205 rectangles. ✓CA	$T_n = 205$ : 1 Mark Answer: 1 Mark						(2)														
3.2.1	$T_n = n^2 + 1$ ✓A ✓A	$n^2$ : 1 Mark $+1$ : 1 Mark						(2)														
3.2.2	$T_n = n^2 + 1$ $T_{10} = (10)^2 + 1$ ✓SF $T_n = 101$ ✓CA	$SF(n = 10)$ : 1 Mark Answer: 1 Mark						(2)														
3.3.1	$A = \frac{1}{2}x + 2$ $A = \frac{1}{2}(-2) + 2$ ✓SF $A = 1$ ✓CA	$SF x = -2$ : 1 Mark Answer: 1 Mark						(2)														
3.3.2	$\frac{1}{2}(B) + 2 = 4$ ✓SF $B = 4$ ✓CA	$SF x = B$ : 1 Mark Answer: 1 Mark						(2)														

Ques.	Solution	Mark allocation	Total
3.4.1	Common difference = $-7 - (-10) = 3$ $y$ -intercept = -1 Since $x = 0$ ✓A  $y = 3x - 1$ ✓A  OR  $m = \frac{y_2 - y_1}{x_2 - x_1}$ $m = \frac{-7 - (-10)}{-2 - (-3)}$  $m = 3$ ✓A  $y = 3x - 1$ ✓A	Explanation: 1 Mark Answer: 1 Mark  If ANSWER ONLY Full Marks  OR  $m = 3$ : 1 Mark Answer: 1 Mark  If ANSWER ONLY Full Marks	(2)
3.4.2	$y = 3x - 1$ $8 = 3q - 1$ ✓SF $q = 3$ ✓CA	SF both values : 1 Mark Answer: 1 Mark	(2)
3.5.1	$y = -x + 3$ $0 = -x + 3$ $x = 3$ ✓A	Answer: 1 Mark	(1)
3.5.2		$y = -x + 3$ $x$ -intercept : 1 Mark $y$ -intercept : 1 Mark Straight Line : 1Mark	(3)

Ques.	Solution	Mark allocation	Total
3.6.1	Monday to Tuesday ✓ <b>A</b> <b>OR</b> Saturday to Sunday ✓ <b>A</b>	Answer: 1 Mark	(1)
3.6.2	15 packets of sweets sold ✓ <b>A</b> <b>OR</b> 10 packets of sweets sold ✓ <b>A</b>	Answer: 1 Mark	(1)
3.6.3	Thursday to Saturday ✓ <b>A</b>	Answer: 1 Mark	(1)
3.6.4	The decrease varied. ✓ <b>A</b>	Answer: 1 Mark	(1)
3.6.5	The sales were constant. ✓ <b>A</b> <b>OR</b> No increase or decrease in the sales. ✓ <b>A</b>	Answer: 1 Mark	(1)
			<b>[26]</b>

**QUESTION 4 [12]**

Ques.	Solution	Mark allocation	Total
4.1	$SI = P.i.n$ ✓ <b>M</b> $720 = 1800.i.5$ ✓ <b>SF</b> $i = \frac{720}{1800 \times 5}$ $r = \frac{720}{1800 \times 5} \times 100$ $r = 8\%$ ✓ <b>CA</b>	Formula: 1 Mark Substitution: 1 Mark Answer: 1 Mark	(3)
4.2	Let the breadth of the original playground = $x$ $\therefore$ The length of the original playground = $x+1$ $\therefore$ The perimeter of the original playground = $2(x+1+x)$ ✓ <b>M</b> $= 4x+2$ ✓ <b>M</b> The length of the new playground = $x+4$ The breadth of the new playground = $x-1$ $\therefore$ The perimeter of the new playground = $2(x+4+x-1)$ ✓ <b>M</b> $= 4x+6$ ✓ <b>M</b> $\therefore$ The difference in perimeter = $4x+6 - (4x+2)$ ✓ <b>CA</b> $= 4\text{meters}$	$2(x+1+x)$ : 1 Mark $4x+2$ : 1 Mark $2(x+4+x-1)$ : 1 Mark $4x+6$ : 1 Mark Answer: 1 Mark	(5)
4.3	Total distance travelled = $210\text{km}$ Total time travelled = $2,5\text{hours}$ ✓ <b>M</b> Average Speed = $\frac{\text{Distance}}{\text{Time}}$ ✓ <b>M</b> $= \frac{210\text{km}}{2,5\text{hours}}$ ✓ <b>SF</b> $= 84\text{km/h}$ ✓ <b>CA</b>	Distance & Time: 1 Mark  Formula: 1 Mark  Substitution: 1 Mark Answer: 1 Mark	(4)
			<b>[12]</b>



QUESTION 5 [19]			
Ques.	Solution	Mark allocation	Tot
5.1			
5.1.1	$\checkmark A$ $\checkmark R$ $x = 85^\circ$ (Alternate $\angle$ 's; AC//HF)	Answer: 1 Mark Reason: 1 Mark	(2)
5.1.2	$\checkmark A$ $\checkmark R$ $y = 95^\circ$ (Co-interior $\angle$ 's = $180^\circ$ ; BF//CD)	Answer: 1 Mark Reason: 1 Mark	(2)
5.2			
5.2.1	$\checkmark S/R$ $\angle Q_1 = 55^\circ$ (Corresponding $\angle$ 's; MN//QP) $\checkmark S$ $\checkmark R$ $55^\circ + 2x - 5^\circ + 3x + 40^\circ = 180^\circ$ (3 $\angle$ 's of $\triangle PQO = 180^\circ$ ) $5x + 90^\circ = 180^\circ$ $x = 18^\circ$ $\checkmark CA$	Statement and reason: 1 Mark Statement: 1 Mark Reason: 1 Mark Answer: 1 Mark	(4)
5.2.2	$\angle MON = 2x - 5^\circ$ $= 2(18^\circ) - 5^\circ$ $\checkmark M$ $= 31^\circ$ $\checkmark CA$	Substitution/Method: 1 Mark Answer: 1 Mark	(2)
5.3.1	$\checkmark S/R$ $\angle ADB + \angle ABD = 110^\circ$ [3 $\angle$ 's of $\triangle ABD = 180^\circ$ ] But $\angle ADB = \angle ABD$ [ $\triangle ADB$ is isosceles with $AD = AB$ ] $\therefore \angle ADB = 55^\circ$ $\checkmark A$	Statement and reason: 1 Mark Statement and reason: 1 Mark Answer: 1 Mark	(3)
5.3.2	$\checkmark S$ $\checkmark R$ $\angle BDC = 55^\circ$ [Diagonal of rhombus ABCD bisect $\angle$ 's] $\therefore \angle ADC = 110^\circ$ $\checkmark A$ OR $\checkmark S$ $\checkmark R$ $\angle DAE + \angle ADC = 180^\circ$ [Co-interior $\angle$ 's = $180^\circ$ ; DC//AE] $\therefore 70^\circ + \angle ADC = 180^\circ$ [Co-interior $\angle$ 's = $180^\circ$ ; DC//AE] $\therefore \angle ADC = 110^\circ$ $\checkmark A$	Statement : 1 Mark Reason: 1 Mark Answer: 1 Mark OR Statement : 1 Mark Reason: 1 Mark Answer: 1 Mark	(3)
5.3.3	$\checkmark S$ $\checkmark R$ $\angle DBE = 125^\circ$ [Exterior $\angle$ of $\triangle ABD$ ]	Statement : 1 Mark Reason: 1 Mark	(2)
5.3.4	The opposite side of a rhombus are parallel. $\checkmark R$ OR DC//AE $\checkmark R$	Reason: 1 Mark	(1)
			[19]



Ques.	Solution	Mark allocation	Total
7.1.2	<p>Total Volume of pipe closed</p> $= \pi r^2 \times h$ $= \pi (18)^2 \times 120 \quad \checkmark \text{SF}$ $= 122145,1224 \text{cm}^3 \quad \checkmark \text{CA}$ <p>Total Volume of hole <math>= \pi r^2 \times h</math></p> $= \pi (15)^2 \times 120$ $= 84823,00165 \text{cm}^3 \quad \checkmark \text{A}$ <p>Total Volume of pipe ( open on both sides)</p> $= 122145,1224 \text{cm}^3 - 84823,00165 \text{cm}^3$ $= 37322,12 \text{cm}^3 \quad \checkmark \text{CA}$	<p>Substitution: 1 Mark</p> <p>122145,1224 <math>\text{cm}^3</math> : 1 Mark</p> <p>84823,00165 <math>\text{cm}^3</math> : 1 Mark</p> <p>Answer: 1 Mark</p>	(4)
7.2	<p><math>FC = \sqrt{5^2 - 4^2}</math> [Theorem of Pythagoras]</p> <p><math>FC = 3 \text{cm} \quad \checkmark \text{A}</math></p> <p>Area of <math>\triangle ABC = \frac{1}{2} \times 6 \text{cm} \times 4 \text{cm}</math></p> $= 12 \text{cm}^2 \quad \checkmark \text{CA}$ <p>Area of square ACDE <math>= 6 \text{cm} \times 6 \text{cm}</math></p> $= 36 \text{cm}^2 \quad \checkmark \text{CA}$ <p>Area of Circle <math>= \pi \times (3 \text{cm})^2</math></p> $= 28,27433388 \text{cm}^2 \quad \checkmark \text{CA}$ <p>Area of ALL the shaded sections</p> $= 12 \text{cm}^2 + (36 \text{cm}^2 - 28,27433388 \text{cm}^2)$ $= 19,73 \text{cm}^2 \quad \checkmark \text{CA}$	<p><math>FC = 3 \text{cm}</math> : 1 Mark</p> <p><math>12 \text{cm}^2</math> : 1 Mark</p> <p><math>36 \text{cm}^2</math> : 1 Mark</p> <p><math>28,27433388 \text{cm}^2</math> : 1 Mark</p> <p>Answer: 1 Mark</p>	(5)
			<b>[13]</b>

**QUESTION 8 [10]**

Ques.	Solution	Mark allocation	Tot.
8.1 and 8.2 and 8.3		<p><u>8.1</u></p> <p><math>A'(-1;2)</math>: 1 Mark</p> <p><math>B'(-0,5;2)</math>: 1 Mark</p> <p><math>C'(-1;0,5)</math>: 1 Mark</p>	(3)
		<p><u>8.2</u></p> <p><math>A''(4;-2)</math>: 1 Mark</p> <p><math>B''(4;-1)</math>: 1 Mark</p> <p><math>C''(1;-2)</math>: 1 Mark</p>	(3)
		<p><u>8.3</u></p> <p><math>P(-3; 0)</math> : 1 Mark</p> <p><math>Q(-2; 0)</math> : 1 Mark</p> <p><math>R(-3; -1)</math>: 1 Mark</p> <p><math>S(-4; -1)</math>: 1 Mark</p>	(4)
			<b>[10]</b>

QUESTION 9 [13]			
Ques.	Solution	Mark allocation	Total
9.1.1	$a = 19$ ✓ <b>A</b> $b = 90$ ✓ <b>A</b> $c = 61$	Value of a: 1 Mark Value of b and c: 1 Mark	(2)
9.1.2 a)	$P(\text{Girl}) = \frac{150}{250} / \frac{3}{5}$ ✓ <b>A</b> ✓ <b>A</b>	Numerator: 1 Mark Denominator: 1 Mark	(2)
9.1.2 b)	$P(\text{A boy owning a cell phone}) = \frac{76}{250} / \frac{38}{125}$ ✓ <b>A</b> ✓ <b>A</b>	Numerator: 1 Mark Denominator: 1 Mark	(2)
9.1.2 c)	$P(\text{A learner with no cell phone}) = \frac{61}{250}$ ✓ <b>A</b> ✓ <b>A</b>	Answer: 1 Mark	(2)
9.2.1	The mean tends to be shifted upwards if there are extreme values. ✓ <b>S</b> In this case, there are a few higher salaries, so the mean is shifted upwards, ✓ <b>R</b> while the median shows that half of the salaries will be below R5 225. ✓ <b>R</b>	Statement: 1 Mark Reason: 1 Mark Reason: 1 Mark  <b>Accept any other logical explanation.</b>	(3)
9.2.2	✓ <b>A</b> The median is generally a better indicator of the real situation when the data is not evenly spread out. ✓ <b>R</b>	The median: 1 Mark Reason: 1 Mark  <b>Accept any other logical explanation.</b>	(2)
			<b>[13]</b>
		<b>TOTAL:</b>	<b>140</b>